



Welcome to SAMHONGSA

Trustful & Technical partner around the world

www.samhongsa.co.kr


Contents

- | | |
|-----------------------------|------------------------------------|
| 1 SHS HISTORY | 5 VALUED CUSTOMER |
| 2 BUSINESS AREA | 6 SAMHONGSA VIETNAM HISTORY |
| 3 SHS FACTORIES | 7 QUALITY CERTIFICATION |
| 4 FACTORIES CAPACITY | 8 BUSINESS GROWTH |
- 9401.99-1000

www.samhongsas.co.kr


Technology and quality as much as any third party may have a higher self-esteem.
But, not satisfied with the current for greater customer satisfaction Invitational will continue to
strive to develop new technologies promise.
The best quality, best service, new product development under a management philosophy that
Samhongsas co. Is committed to innovation.

SHS HISTORY



SAMHONGSA

SHS WORLDWIDE



● Production Plants Location

1. Qingdao, China (G/S)
2. Guangzhou, China (G/S)

● Sales Office

1. Seoul Head Office (HQ/R&D)
2. Guangzhou Sales Office
3. Michigan Sales Office
4. Ontario Sales Office

● Distribution Center

1. Michigan, USA (S2O)
2. Toronto, Canada (1 Resource)
3. California, USA (1 Resource)

BUSINESS AREA

GS DIVISION

GAS LIFT



GAS SPRING



OIL DAMPER



DESK PLUS+ DIVISION

Stationary type(add-on)



Regular desk type(desk type)



Technical drawing of a 2-PIN connector. The drawing shows a side view of the connector with various dimensions and tolerances. Key dimensions include:

- A ± 2 (EXTENSION)**: Total length of the extension.
- C ± 2 (COMPRESSION)**: Length of the compression section.
- B ± 2 (NOMINAL STROKE)**: Length of the nominal stroke section.
- Y ± 2**: Distance from the front face to the start of the compression section.
- Z (REF)**: Reference distance from the front face to the start of the extension.
- X ± 2**: Distance from the front face to the start of the extension.
- Ø 7**: Diameter of the main body.
- 2-PIN**: Label for the two pins at the rear.
- 1° 26' 16"**: Angle of the front face.
- 27.99⁰_{-0.03}**: Dimension of the front face.
- 1° 26' 16"**: Angle of the rear face.
- 26.3 (REF)**: Reference dimension for the rear face.
- 33 (REF)**: Reference dimension for the rear face.



VARIOUS APPLICATION

SHS FACTORIES

QINDAO FACTORY

JIAZHOU IN CHINA



GUANGZHOU SALES OFFICE

GUANGZHOU IN CHINA



CONG TY TNHH SAMHONGSA

VIETNAM FACTORY



BAC NINH IN VIETNAM

SIHWA

WAREHOUSE
SIHWA IN KOREA



HEAD OFFICE
SEOUL IN KOREA



SAMHONGSA

FACTORIES CAPACITY



QINDAO FACTORY
JIAZHOU , CHINA

- **GAS CYLINDER** : 2,000,000 EA / m (2 Shift)
- **GAS SPRING (LIFT)** : 100,000 EA / m



VIETNAM FACTORY
Bac Ninh , VIETNAM

- **GAS CYLINDER (LIFT)** : 300,000 EA / m



SAMHONGSA

VALUED CUSTOMER



GAS CYLINDER (LIFT)

 Herman Miller

Steelcase

Exemplis®

okamura

HAWORTH®

 Kimball International

Knoll



sedus

profim

Flölk

SIDIZ

Humanscale®



SIEMENS

ARJO HUNTLEIGH
GETINGE GROUP

GAS SPRING & DAMPER



SAMHONGSA



SAMHONGSA VIETNAM HISTORY

2020. 10	SAMHONGSA VIETNAM Established
2020. 11	Gas Cylinder (Lift) Production
2021. 04	Quality Certification : ISO 9001, ISO14001



SAMHONGSA

QUALITY CERTIFICATION

Quality control is our top priority!



ISO 9001 By TUV



ISO 14001 By TUV & KTL



ANSI/BIFMA X5.1-2011 By ENTELA



BS5459 LEVEL S By SATRA



EN 16955 ; 2017 CLASS 3 & 4 By TUV



EN 1335-3:2000 By LGA



ISO TS 16949 By SGS




SAMHONGSA

BUSINESS GROWTH

ANNUAL SALES

Sales (Mil US\$)

Year	2016	2017	2018	2019	2020	2021	2022(P)
G/S Division	57	62	68	67	60	83	81



SAMHONGSA

